POINT HOPE DERMATOGLYPHICS

Robert J. Meier
Indiana University

(Handout prepared for AAPA Meeting)

Should be #2960

POLAR

Order No.:
Price:
Acc. No.:
DEC 7 1971
Sept
0056 56

Percent Frequency of Pattern Type,
Mean Pattern Intensity(PI) and Mean Total Ridge Count(TRC)
in Point Hope Eskimo Males and Females

	No. of Prints	Arches	Radial Loops	Ulnar Loops	Whorls	PI	S.D.	TRC	S.D.
MALES	1037	2.3	2.4	43.0	52.3	15.0	3.6	156.3	46.0
FEMALES	1147	6.6	3.6	50.4	39.4	13.2	4.1	132.0	55.7

Chi-square value - 50.9*

t value 3.2* 3.3*

* Significant at less than 0.005 level.

Handout prepared for meeting - paper not presented.

"Point Hope Dermatoglyphics"
R. J. Meier, Indiana University
AAPA Meetings, Boston, 1971

Percent Frequency of Arches and Whorls in Alaskan Eskimos
Arranged According to Increasing Pattern Intensity



* Sample contains both males and females.




Date Due
C5656
Pam:572:(*49)
MEIE
AUTHOR
MEIR, Robert J
TITLE
Point Hope dermatoglyphics
(Tables)
DATE LOANED
BORROWER'S NAME
DATE RETURNED
C5656
BOREAL INSTITUTE
LIBRARY

University of Alberta Library
0 1620 0329 5977